



MAGNETIC LIGHTING SYSTEM BLADE SERIES





Exquisite tracks can be cut freely

Perfectly integrated with various decoration styles
Matching to meet the needs of different scenarios

Selective Color



White



Black



Red



Green



Blue



Orange

Multicolored track

Model : RCB27

Input voltage : DC42V

Product size(DxH): L1000xW27xH7.5mm



ROHS



42V safe voltage touch without risk

Local lighting, improving local spatial brightness



Green



Orange



Blue



Red



Black

Ultra thin grille light

Model : MCB27-LB6	Beam angle : 24°
Watt : 6W	Input voltage :DC42V
CRI : 90Ra	Product size(DxH): L290xW27xH15mm
CCT : 3000K/4000K/5700K/Intelligent dual color	



Ultra thin design and thin dynamic heartstrings

Floodlight design, uniform light output, brightens
spatial brightness, meets basic lighting needs





Green Orange Blue Red Black

Ultra thin flood light	
Model : MCB27-DFS300	Beam angle : 100°
Watt : 10W	Input voltage : DC42V
CRI : 90Ra	Product size(DxH): L375xW27xH12.5mm
CCT : 3000K/4000K/5700K/Intelligent dual color	

Can be freely adjusted left and right

Multi angle optics, precise control of light, improving
local brightness, and meeting key lighting needs



Green



Orange



Blue



Red



Black

Folding grille light

Model : MCB27-LBM12

Beam angle : 24°

Watt : 12W

Input voltage : DC42V

CRI : 90Ra

Product size(DxH): L230xW27xH39mm

CCT : 3000K/4000K/5700K/Intelligent dual color



ROHS



Magnetic lighting system - blade series



Ultra thin grille light

Model : MCB27-LB12
 Watt : 12W
 Beam angle : 24°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : L517xW27xH15mm



Folding grille light

Model : MCB27-LBM18
 Watt : 18W
 Beam angle : 24°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : L338xW27xH39mm



Pendant light

Model : M20-FMK-5
 Watt : 5W
 Beam angle : 120°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø70x54mm




Pendant light

Model : MCB27-FM-3
 Watt : 4W
 Beam angle : 24°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø32x310mm



Pendant light


Model : MCB27-FMH
 Watt : 5W
 Beam angle : 100°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø80x120mm



Pendant light

Model : MCB27-FMI
 Watt : 5W
 Beam angle : 24°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø60x120mm

Magnetic lighting system - blade series



Magnetic neon rope light

Model : MCB27-CCQ-10
 Watt : 18W
 Beam angle : 360°
 CCT : 3000K/4000K/5700K/Red/Blue/Green
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø20xL1000mm



M27-BFY9



M27-UE5

Magnetic neon rope light

Model : M27-BFY9/M27-UE5
 Watt : 10W/5W
 Beam angle : 360°
 CCT : 2700K/3000K/4000K/6000K/2700-6500K
 CRI : 90Ra
 Input voltage : DC48/0.2A/DC24/0.1A
 Product size(DxH) : 165x165x14mm/Ø59x14mm



Track light

Model : MCB27-TL3
 Watt : 3W
 Beam angle : 15°/24°/36°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø40x90mm



Track light

Model : MCB27-TL7
 Watt : 7W
 Beam angle : 15°/24°/36°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø40x120mm



Track light

Model : MCB27-TL12
 Watt : 12W
 Beam angle : 15°/24°/36°
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø50x134mm



Track light

Model : MCB27-TL7-TJ
 Watt : 7W
 Beam angle : 15-50°adjustable
 CCT : 3000K/4000K/5700K/Intelligent dual color
 CRI : 90Ra
 Input voltage : DC42V
 Product size(DxH) : Ø40x100mm

Magnetic lighting system - blade series

Power supply



Circular power supply

Watt : 100W

Input voltage : Input AC190-260V, output DC42V




Circular power supply

Watt : 200W

Input voltage : Input AC190-260V, output DC42V

Accessories



Cross connector

Input voltage : DC42V

Product size : L68xW68xH6.5mm



T-connector

Input voltage : DC42V

Product size : L68xW48xH6.5mm



L-connector (horizontal)

Input voltage : DC42V

Product size : L48xW48xH6.5mm



L-connector (vertical)

Input voltage : DC42V

Product size : L27xW27xH27mm



Straight connector

Input voltage : DC42V

Product size : L40xW27xH6.5mm



One way connector

Input voltage : DC42V

Product size : L39xW27xH6.5mm



our "CLIENTS"

We are trusted by a variety of leading businesses, including industrial plants, hotels, retail outlets, and major real estate developments.

Our projects reflect our ability to tailor lighting solutions to meet diverse client.

our "TEAM"

Our expert team brings extensive experience in lighting procurement and installation.

We are dedicated to delivering the best solutions to meet the specific needs of every client.

Contact Us

Light Loop
Pracha Uthit Road, Klong Bung Plakot,
Nai Klong Bung Plakot Subdistrict, Phra Samut
Chedi District, Samut Prakan Province 10290

Phone: +66 82-919-9941
Email: sales@constufftrading.com